



Your Global Partner For High Pressure Systems

STARTING FROM A SIMPLE IDEA

TO ACHIEVE HIGH-TECH PRODUCTS

COMPANY TYPE

We adopt the best production processes and search for the most experienced partners

STRONG POINTS

Direct and continuous link with the manufacturers, 30 years of experience in this market and in making products. Immediate solutions provided

ADDRESS TO

Distributors and/or our customers all over the world, who are able to recognize excellent production qualities which make the difference

PHILOSOPHY

We believe in the strength, bravery and passion of the manufactures and we firmly believe the quality of the product represent what we are and the values believe in

MISSION

To expand more and more our business in new markets and enter partnerships with people who believe in our project





GAS BOOSTERS



7 CONFIGURATIONS



- Pressure range 3,000 25,000 psi
- Available single or double acting
- Available single or double stage
- Wide selections of models, pressure ranges and flows
- Compact and innovative design
- Sturdy and easy to maintain
- Standard certification: EN 10204 3.1

Flexible and efficent air-driven gas boosters for delivering High-Pressure gases



LIQUID PUMPS



7 CONFIGURATIONS



- Pressure range 6,000 60,000 psi
- Available single or double acting
- Wide selections of models, pressure ranges and flows
- Compact and innovative design
- Sturdy and easy to maintain
- Standard certification: EN 10204 3.1

Reliable air-driven liquid pumps for heavy duty High-Pressure



fluid applications

SYSTEMS

A range of portable gas/liquid systems,

standard, customizable



CONFIGURATIONS > 100











VALVES

CONFIGURATIONS > 80



- Pressure range 15,000 60,000 psi
- Available with NPT connections from 1/4" to 1"
- Available with MP/HP connections
- Standard materials AISI 316L and PTFE
- Non rotating stem prevents galling and scoring
- Standard certification: EN 10204 3.1

High-Pressure needle valves and ball valves designed for liquid and gas flow control



ACCESSORIES

A wide range of accessories for every needs such as elbows, tees, crosses, adapters and check valves



TUBINGS

Seamless High-Pressure tubings for a variety of high pressure liquid or gas applications








- Pressure range 15,000 60,000 psi
- Available with NPT connections from 1/4" to 1"
- Available with MP/HP connections
- Standard materials AISI 316L
- Standard certification: EN 10204 3.1





- Pressure range 3,000 100,000 psi
- Bright finish external surface
- Standard materials AISI 316/316L
- Standard certification: EN 10204 3.1
- Standard non-destructive test: ASTM A450/E426



CONTACTS:



HPT - High Pressure Technology info@highpressuretechnology.it www.highpressuretechnology.it



LAVORAZIONI TECNOLOGICHE SRL Via Po, 1 - 33054 Lignano Sabbiadoro Udine - ITALY

HPT is a brand of Lavorazioni Tecnologiche Srl